



Essentials Quilt



Finished Quilt Size is Approximately 43" x 42 1/2"

Scroll Q1077-89025

1/8 yard each*



Crackle Q1401-14564


1/8 yard each*



2 1/2 yards
backing only

Sparkle Q1817-39055

1/8 yard each*



5/8 yard
includes binding

Essentials Quilt

Please read all instructions carefully before starting. All instructions include a 1/4" seam allowance and strips are cut from selvage to selvage unless otherwise stated.

1. Cut the following:

Cut 1 - 2 1/2" strip from each fabric: SP 669, C 669, C 339, SP 339, C 333, SP 333, SC 333, SC 330, SC 104, SP 552, C 552, SP 775, SC 701, C 779, SP 779, SC 777, SC 440, C 449, SP 449.

Cut 2 - 1 1/2" x 38 1/2" strips from each fabric: SC 202, SP 252, C 222, SC 205, C 229, SP 229, SP 299.

Cut 1 - 1 1/4" x 38 1/2" strip from fabric C 999.

Border - Fabric SC 101 - cut 2 - 1 1/2" x 38 1/2" (SIDES) and cut 2 - 1 1/2" x 43" (TOP and BOTTOM).


Binding - Fabric SP 775 - cut 6 - 2 1/4" strips.

2. Make one panel of 2 1/2" strips.

Sew strips together in the gradation as listed by number.


TIP for keeping the panel straight and square: Use anti-directional sewing - sew two strips together, then the end of the strips becomes the beginning as you sew another strip to the panel. Continue to alternate top and bottom of the panel as strips are added. Pay attention to keep strips in the correct gradation. Once all nineteen strips are sewn together, press all seams in the same direction.

Next, cut the following rows from the panel (cut straight segments by placing the ruler over several seams): 2", 1 1/2", 2 3/4", 2 1/2", 2", 1 1/4", 1 3/4", 3 1/4", 2 3/4", 2 1/4", 1 3/4", 3", 2 1/2", 2 1/4", 2", 1 3/4" (label cut segments and keep in order as cut)



Next, remove one square (with seam ripper) from the top of the second row and sew it to the bottom of the same row. From the third row, remove 2 squares from the top and sew to the bottom of the third row.

Continue removing one additional square from the next row and replacing it on the bottom. To change the movement direction, remove one square from the bottom and sew to the top of the same row. Repeat for all rows according to the diagram. Sew rows together alternating with vertical strips. Last sew SIDE borders and TOP and BOTTOM borders.



SC 101

SC 101

